cerantola

cicio

TECHNICAL DATA SHEET



GENERAL INFORMATION

WARNINGS: This chair is tested for a maximum load capacity of 150 kg.

PRODUCT RECYCLABILITY: Recyclable. For recovery or disposal, deliver to a specialized and authorized center.

USE AND MAINTENANCE

In order to ensure the stability and durability of the item, it is recommended to:

- Before use, make sure the item is assembled correctly.
- Do not remove any component of the chair manually or by using tools.
- Make sure that the product is used with the base of the metal structure resting on the floor and that it does not allow slipping.
- Do not swing the product during use.
- Do not sit on the backrest or armrests.
- Do not stand on the chair with your feet and/or knees.
- To move the article, avoid dragging.
- Avoid contact with heat sources.
- The product is not suitable for external use if not specifically required.

MAINTENANCE TIPS

- Spilled liquids should be absorbed immediately with a clean, dry cloth.
- For plastic and painted parts use neutral soap.

STRICTLY AVOID

- The use of solvents or chemical detergents, as they could alter the aesthetic and physical characteristics of the item.

INTENDED USE

- Home/office chair
- Seating for communities/schools
- Catering seating

PACKAGING WARNINGS: Cerantola S.p.a. informs that the packaging of individual products may be subject to changes without notice, in order to guarantee continuous improvement of the service or for logistical reasons.

No liability is accepted for incorrect maintenance procedures.



DESCRIPTION


Four legs frame.

CERTIFICATIONS


CHARACTERISTICS

OUTDOOR | 10 PCS. | 12 PCS. | 5,5 KG | 150 KG | FIREPROOF

DIMENSIONS



**** RECOMMENDED STACKING (mm) ****



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(6)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(5)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/05/06/07 ***	Tube frame 4 metal legs	40	1	2,90	-	-	60	1320x800x2180
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
TP26	Underfeet Ø 20 in polypropylene PP ±	0	4	0,01	4500	470x410x320	-	-
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-



DESCRIPTION


Four legs frame with open armrests.

CERTIFICATIONS


CHARACTERISTICS

OUTDOOR | 10 PCS. | 12 PCS. | 5,8 KG | 150 KG | FIREPROOF

DIMENSIONS



**** RECOMMENDED STACKING (mm) ****



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(6)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(5)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/05/06/07 ***	Tube frame 4 metal legs	40	1	2,90	-	-	60	1320x800x2180
CIAO/26/27 **	Couple of open armrests in PP FV 20% ±	30	1	0,25	10	610x410x200	400	1230x1020x1680
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
TP26	Underfeet Ø 20 in polypropylene PP ±	0	4	0,01	4500	470x410x320	-	-
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-



DESCRIPTION

Four legs frame with closed armrests.

CERTIFICATIONS


CATAS EN 16139:2013+AC:2013 ANSI-BIFMA X5.1-2017/17(2022)

CHARACTERISTICS




OUTDOOR | 8 PCS. | 8 PCS. | 6,05 KG | 150 KG | FIREPROOF


DIMENSIONS



**** RECOMMENDED STACKING (mm) ****



***** RECOMMENDED STACKING WITH WRITING TABLET *****



5 PCS. 5 PCS.

SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(6)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(5)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/44 **	Outer seat for closed arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/05/06/07 ***	Tube frame 4 metal legs	40	1	2,90	-	-	60	1320x800x2180
CIAO/20/21 **	Couple of closed armrests in PP FV 20% ±	30	1	0,38	5	610x410x200	200	1230x1020x1680
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT43L	Screw autikappa TBL combi 6,2x18 SF 10.9 Black	0	2	0,04	-	-	-	-
TP26	Underfeet Ø 20 in polypropylene PP ±	0	4	0,01	4500	470x410x320	-	-
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-



DESCRIZIONE


Sled based without armrests.

CERTIFICATIONS


CHARACTERISTICS

OUTDOOR | 6 PCS. | 6 PCS. | 6,25 KG | 150 KG | FIREPROOF

DIMENSIONS



**** RECOMMENDED STACKING (mm) ****



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(9)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(8)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/08/09/10***	Metal sled frame Ø 22	40	1	3,60	8	810x575x600	40	1200x820x1930
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT12	Self-tapping screw 4,8x13	0	2	0,03	-	-	-	-
TP17**	Kit 4 plugs Black for sled frame Ø 22 and Ø 25 in polypropylene PP ±	30	4	0,25	45	350x280x230	3240	1200x1050x1470
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DESCRIZIONE


Sled based with open armrests.

CERTIFICATIONS


CHARACTERISTICS

OUTDOOR	6 PCS.	6 PCS.	6,75 KG	150 KG	FIREPROOF

DIMENSIONS



**** RECOMMENDED STACKING (mm) ****



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(9)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(8)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/08/09/10***	Metal sled frame Ø 22	40	1	3,60	8	810x575x600	40	1200x820x1930
CIAO/26/27 **	Couple of open armrests in PP FV 20% ±	30	1	0,25	10	610x410x200	400	1230x1020x1680
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT12	Self-tapping screw 4,8x13	0	2	0,03	-	-	-	-
TP17**	Kit 4 plugs Black for sled frame Ø 22 and Ø 25 in polypropylene PP ±	30	4	0,25	45	350x280x230	3240	1200x1050x1470
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DESCRIZIONE

Sled based with closed armrests.


CERTIFICATIONS

CATAS EN 16139:2013+AC:2013 ANSI-BIFMA X5.1-2017/17(2022)


CHARACTERISTICS




DIMENSIONS



** RECOMMENDED STACKING (mm) **



*** RECOMMENDED STACKING WITH WRITING TABLET ***



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(9)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(8)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/44 **	Outer seat for closed arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/08/09/10***	Metal sled frame Ø 22	40	1	3,60	8	810x575x600	40	1200x820x1930
CIAO/20/21 **	Couple of closed armrests in PP FV 20% ±	30	1	0,38	5	610x410x200	200	1230x1020x1680
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT12	Self-tapping screw 4,8x13	0	2	0,03	-	-	-	-
VT43L	Screw autikappa TBL combi 6,2x18 SF 10.9 Black	0	2	0,04	-	-	-	-
TP17**	Kit 4 plugs Black for sled frame Ø 22 and Ø 25 in polypropylene PP ±	30	4	0,25	45	350x280x230	3240	1200x1050x1470
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DESCRIPTION


Four legs frame with castors.

CERTIFICATIONS


CHARACTERISTICS

OUTDOOR | 10 PCS. | 10 PCS. | 5,60 KG | 150 KG | FIREPROOF

DIMENSIONS



**** RECOMMENDED STACKING (mm) ****



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(12)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(11)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/11/12/13 ***	4 metal legs frame for castors	40	1	2,72	-	-	60	1320x800x2180
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
SUP09	Plastic support for castor RT09	0	4	0,05	4000	470x410x320	-	-
RT09	Black castor Ø 55 pin 11	0	4	0,85	200	490x390x270	6000	800x1200x1950
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-



DESCRIPTION


Four legs frame with castors and open armrests.

CERTIFICATIONS


CHARACTERISTICS

OUTDOOR | 10 PCS. | 10 PCS. | 5,85 KG | 150 KG | FIREPROOF

DIMENSIONS



**** RECOMMENDED STACKING (mm) ****



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(12)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(11)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/11/12/13 ***	4 metal legs frame for castors	40	1	2,72	-	-	60	1320x800x2180
CIAO/26/27 **	Couple of open armrests in PP FV 20% ±	30	1	0,25	10	610x410x200	400	1230x1020x1680
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
SUP09	Plastic support for castor RT09	0	4	0,05	4000	470x410x320	-	-
RT09	Black castor Ø 55 pin 11	0	4	0,85	200	490x390x270	6000	800x1200x1950
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-



DESCRIPTION


Four legs frame with castors and closed armrests.

CERTIFICATIONS

CHARACTERISTICS

OUTDOOR	0 PCS.	0 PCS.	6,0 KG	150 KG	FIREPROOF

DIMENSIONS



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***GH	***M	***G	***B	***N
Chrome(12)	**Grey Ghiaccio** NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black(11)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/44 **	Outer seat for closed arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/11/12/13 ***	4 metal legs frame for castors	40	1	2,72	-	-	60	1320x800x2180
CIAO/20/21 **	Couple of closed armrests in PP FV 20% ±	30	1	0,38	5	610x410x200	200	1230x1020x1680
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT43L	Screw autikappa TBL combi 6,2x18 SF 10.9 Black	0	2	0,04	-	-	-	-
SUP09	Plastic support for castor RT09	0	4	0,05	4000	470x410x320	-	-
RT09	Black castor Ø 55 pin 11	0	4	0,85	200	490x390x270	6000	800x1200x1950
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-



DESCRIPTION


Rod frame without armrests.

CERTIFICATIONS


CHARACTERISTICS

OUTDOOR | 8 PCS. | 14 PCS. | 6,6 KG | 150 KG | FIREPROOF

DIMENSIONS



**** RECOMMENDED STACKING (mm) ****



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***N
Chrome(31)	**Black (30)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/30/31***	Rod frame Ø 12	50	1	3,75	-	-	-	-
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/19 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
TP16**	Black plugs for rod frame Ø 12 in polypropylene PP ±	0	-	-	-	-	-	-
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-



DESCRIPTION

Rod frame with open armrests.


CERTIFICATIONS

CATAS EN 16139:2013+AC:2013


CHARACTERISTICS

OUTDOOR | 8 PCS. | 14 PCS. | 6,75 KG | 150 KG | FIREPROOF

DIMENSIONS



** RECOMMENDED STACKING (mm) **



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***N
Chrome(31)	**Black (30)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/44 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/30/31***	Rod frame Ø 12	50	1	3,75	-	-	-	-
CIAO/26/27 **	Couple of open armrests in PP FV 20% ±	30	1	0,25	10	610x410x200	400	1230x1020x1680
CIAO/19 **	Seat fixing support per tondino Ø 12 in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
TP16**	Black plugs for rod frame Ø 12 in polypropylene PP ±	0	-	-	-	-	-	-
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-



DIMENSIONS

DESCRIPTION


Rod frame with closed armrests.

CERTIFICATIONS

CATAS EN 16139:2013+AC:2013

CHARACTERISTICS

OUTDOOR | 0 PCS. | 0 PCS. | 6.7 KG | 150 KG | FIREPROOF



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***CHROME	***N
Chrome(31)	**Black (30)** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/44 **	Outer seat for closed arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/30/31***	Rod frame Ø 12	50	1	3,75	-	-	-	-
CIAO/20/21 **	Couple of closed armrests in PP FV 20% ±	30	1	0,38	5	610x410x200	200	1230x1020x1680
CIAO/19 **	Seat fixing support per tondino Ø 12 in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT43L	Screw autikappa TBL combi 6,2x18 SF 10.9 Black	0	2	0,04	-	-	-	-
TP16**	Black plugs for rod frame Ø 12 in polypropylene PP ±	0	-	-	-	-	-	-
TP15	Transparent bumper anti-shock	0	4	0,05	12000	470x410x320	-	-

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DESCRIPTION


Trestle base with castors.

CERTIFICATIONS

CHARACTERISTICS

OUTDOOR | 0 PCS. | 0 PCS. | 0,0 KG | 150 KG | FIREPROOF

DIMENSIONS



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***W	***N
White NCS 0500-N	**Black** NCS 9000 N

TRESTLE BASE FINISHES AND ACCESSORIES COLORS

****W	****N
Chalk White NCS 1000-N	**Black** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/14 ***	Black swivel/bench frame	40	1	1,50	10	460x420x480	180	1250x1030x1550
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
LORIA/18 ****	Polyamide trestle base PP/MASTER ±	0	1	1,80	4	-	48	1200x1050x1860
CIAO/61 **	Set of two plugs for bench and swivel frame PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
CIAO/4748	Connector for trestle	20	20	3,78	20	410x160x90	1400	1000x1200x530
P/19 ****	Plate in polyamide for trestle base PA/FV 30% ±	50	1	0,12	60	350x280x230	3600	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT18	M8x16 screw	0	6	0,02	-	-	-	-
RT09	Black castor Ø 55 pin 11	0	4	0,85	200	490x390x270	6000	800x1200x1950

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DESCRIPTION


Trestle base with castors and open armrests.

CERTIFICATIONS

CHARACTERISTICS

OUTDOOR | 0 PCS. | 0 PCS. | 0,0 KG | 150 KG | FIREPROOF

DIMENSIONS



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***W	***N
White NCS 0500-N	**Black** NCS 9000 N

TRESTLE BASE FINISHES AND ACCESSORIES COLORS

****W	****N
Chalk White NCS 1000-N	**Black** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/14 ***	Black swivel/bench frame	40	1	1,50	10	460x420x480	180	1250x1030x1550
CIAO/26/27 **	Couple of open armrests in PP FV 20% ±	30	1	0,25	10	610x410x200	400	1230x1020x1680
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
LORIA/18 ****	Polyamide trestle base PP/MASTER ±	0	1	1,80	4	-	48	1200x1050x1860
CIAO/61 **	Set of two plugs for bench and swivel frame PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
CIAO/4748	Connector for trestle	20	20	3,78	20	410x160x90	1400	1000x1200x530
P/19 ****	Plate in polyamide for trestle base PA/FV 30% ±	50	1	0,12	60	350x280x230	3600	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT18	M8x16 screw	0	6	0,02	-	-	-	-
RT09	Black castor Ø 55 pin 11	0	4	0,85	200	490x390x270	6000	800x1200x1950

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DESCRIPTION


Trestle base with castors and closed armrests.

CERTIFICATIONS

CHARACTERISTICS

OUTDOOR | 0 PCS. | 0 PCS. | 0,0 KG | 150 KG | FIREPROOF

DIMENSIONS



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***W	***N
White NCS 0500-N	**Black** NCS 9000 N

TRESTLE BASE FINISHES AND ACCESSORIES COLORS

****W	****N
Chalk White NCS 1000-N	**Black** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/44 **	Outer seat for closed arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/14 ***	Black swivel/bench frame	40	1	1,50	10	460x420x480	180	1250x1030x1550
CIAO/20/21 **	Couple of closed armrests in PP FV 20% ±	30	1	0,38	5	610x410x200	200	1230x1020x1680
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
LORIA/18 ****	Polyamide trestle base PP/MASTER ±	0	1	1,80	4	-	48	1200x1050x1860
CIAO/61 **	Set of two plugs for bench and swivel frame PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
CIAO/4748	Connector for trestle	20	20	3,78	20	410x160x90	1400	1000x1200x530
P/19 ****	Plate in polyamide for trestle base PA/FV 30% ±	50	1	0,12	60	350x280x230	3600	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT18	M8x16 screw	0	6	0,02	-	-	-	-
RT09	Black castor Ø 55 pin 11	0	4	0,85	200	490x390x270	6000	800x1200x1950

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DESCRIPTION


Trestle base with gliders.

CERTIFICATIONS

CHARACTERISTICS

OUTDOOR | 0 PCS. | 0 PCS. | 0,0 KG | 150 KG | FIREPROOF

DIMENSIONS



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***W	***N
White NCS 0500-N	**Black** NCS 9000 N

TRESTLE BASE FINISHES AND ACCESSORIES COLORS

***W	****N
Chalk White NCS 1000-N	**Black** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/14 ***	Black swivel/bench frame	40	1	1,50	10	460x420x480	180	1250x1030x1550
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0.70	720	350x280x230	-	-
LORIA/18 ****	Polyamide trestle base PP/MASTER ±	0	1	1,80	4	-	48	1200x1050x1860
LORIA/60	Pin Ø 11 for trestle underfeet	0	4	0,40	-	-	-	-
CIAO/61 **	Set of two plugs for bench and swivel frame PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
CIAO/4748	Connector for trestle	20	20	3,78	20	410x160x90	1400	1000x1200x530
P/19 ****	Plate in polyamide for trestle base PA/FV 30% ±	50	1	0,12	60	350x280x230	3600	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT18	M8x16 screw	0	6	0,02	-	-	-	-
TP23	Underfeet per PD08	0	4	0,05	1200	470x410x320	-	-
PD08 ****	Underfeet for trestle base	0	4	0,35	300	350x280x230	-	-

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DESCRIPTION


Trestle base with gliders and open armrests.

CERTIFICATIONS

CHARACTERISTICS

OUTDOOR | 0 PCS. | 0 PCS. | 0,0 KG | 150 KG | FIREPROOF

DIMENSIONS



SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***W	***N
White NCS 0500-N	**Black** NCS 9000 N

TRESTLE BASE FINISHES AND ACCESSORIES COLORS

****W	****N
Chalk White NCS 1000-N	**Black** NCS 9000 N


COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/14 ***	Black swivel/bench frame	40	1	1,50	10	460x420x480	180	1250x1030x1550
CIAO/26/27 **	Couple of open armrests in PP FV 20% ±	30	1	0,25	10	610x410x200	400	1230x1020x1680
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
LORIA/18 ****	Polyamide trestle base PP/MASTER ±	0	1	1,80	4	-	48	1200x1050x1860
LORIA/60	Pin Ø 11 for trestle underfeet	0	4	0,40	-	-	-	-
CIAO/61 **	Set of two plugs for bench and swivel frame PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
CIAO/4748	Connector for trestle	20	20	3,78	20	410x160x90	1400	1000x1200x530
P/19 ****	Plate in polyamide for trestle base PA/FV 30% ±	50	1	0,12	60	350x280x230	3600	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT18	M8x16 screw	0	6	0,02	-	-	-	-
TP23	Underfeet per PD08	0	4	0,05	1200	470x410x320	-	-
PD08 ****	Underfeet for trestle base	0	4	0,35	300	350x280x230	-	-

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



DIMENSIONS



DESCRIPTION

Trestle base with gliders and closed armrests.

CERTIFICATIONS

CHARACTERISTICS



OUTDOOR | 0 PCS. | 0 PCS. | 0,0 KG | 150 KG | FIREPROOF

SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***W	***N
White NCS 0500-N	**Black** NCS 9000 N

TRESTLE BASE FINISHES AND ACCESSORIES COLORS

****W	****N
Chalk White NCS 1000-N	**Black** NCS 9000 N

COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
	Upholstered or mesh backrest option see page 23							
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ±	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Upholstered seat option see page 23							
CIAO/44 **	Outer seat for closed arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/14 ***	Black swivel/bench frame	40	1	1,50	10	460x420x480	180	1250x1030x1550
CIAO/20/21 **	Couple of closed armrests in PP FV 20% ±	30	1	0,38	5	610x410x200	200	1230x1020x1680
CIAO/18 **	Seat fixing support in PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
LORIA/18 ****	Polyamide trestle base PP/MASTER ±	0	1	1,80	4	-	48	1200x1050x1860
LORIA/60	Pin Ø 11 for trestle underfeet	0	4	0,40	-	-	-	-
CIAO/61 **	Set of two plugs for bench and swivel frame PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
CIAO/4748	Connector for trestle	20	20	3,78	20	410x160x90	1400	1000x1200x530
P/19 ****	Plate in polyamide for trestle base PA/FV 30% ±	50	1	0,12	60	350x280x230	3600	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
VT43L	Screw autikappa TBL combi 6,2x18 SF 10.9 Black	0	2	0,04	-	-	-	-
VT18	M8x16 screw	0	6	0,02	-	-	-	-
TP23	Underfeet per PD08	0	4	0,05	1200	470x410x320	-	-
PD08 ****	Underfeet for trestle base	0	4	0,35	300	350x280x230	-	-

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%




DESCRIPTION
2-3-4-5 bench seats.

CERTIFICATIONS


CHARACTERISTICS

OUTDOOR | 0 PCS. | 0 PCS. | 0,0 KG | 150 KG | FIREPROOF


DIMENSIONS




Two seats bench



Three seats bench



Four seats bench



Five seats bench

SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

ARMRESTS, COVER SEATS, ACCESSORIES COLORS

**GH	**M	**G	**B	**N
Grey Ghiaccio NCS 4000-N	**Brown Tabacco** NCS 8005-Y20R	**Dark Torrente** NCS 8005-Y20R	**Blue Oceano** NCS S 8005-R50B	**Black** NCS 9000 N

METAL FRAME FINISHING COLORS

***W	***N
White NCS 0500-N	**Black** NCS 9000 N

BENCH LEG FINISH COLORS

****	****N
Aluminum	**Black** NCS 9000 N

BEAM COLORS

*****N
Black NCS 9000 N

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%



COMPONENTS

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/24 W-T-BL-N CIAO/24GC	Plastic backrest in polypropylene PP ± Plastic backrest Warm Grey ECO in polypropylene PP ± ***Upholstered or mesh backrest option see page 23***	30 100	1 1	0,58 0,58	10 10	470x370x330 470x370x330	300 300	1000x1200x1760 1000x1200x1760
CIAO/25 W-T-BL-N CIAO/25GC	Plastic seat in polypropylene PP ± Plastic seat Warm Grey ECO in polypropylene PP ± ***Upholstered seat option see page 23***	30 100	1 1	0,71 0,71	20 20	460x440x510 460x440x510	480 480	1330x1000x2140 1330x1000x2140
	Open armrest option (CIAO04 + CIAO 26/27)							
CIAO/04 **	Outer seat for no arms or open arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/26/27 **	Couple of open armrests in PP FV 20% ±	30	1	0,25	10	610x410x200	400	1230x1020x1680
	Closed armrest option (CIAO44 + CIAO 20/21)							
CIAO/44 **	Outer seat for closed arms version in PP/MASTER ±	30	1	1,04	10	460x440x510	240	1340x1020x2150
CIAO/20/21 **	Couple of closed armrests in PP FV 20% ±	30	1	0,38	5	610x410x200	200	1230x1020x1680
CIAO/14 ***	Black swivel/bench frame	40	1	1,50	10	460x420x480	180	1250x1030x1550
CIAO/17 **	Backrest supports kit in PP/MASTER ±	30	2	0,13	40	470x410x320	1200	1240x1000x1780
CIAO/18 **	Seat fixing support	30	4	0,70	720	350x280x230	-	-
CIAO/61 **	Set of two plugs for bench and swivel frame PP/MASTER ±	30	4	0,70	720	350x280x230	-	-
VT46	Self-tapping screw 5x18	0	6	0,02	-	-	-	-
D07 ****	Black adaptor for GP02	100	2	0,40	30	350x280x230	960	800x1200x1000
D09 ****	Black adaptor for GP03N	100	2	0,80	24	600x440x190	-	-
GP02 ****	Polished aluminium bench leg	10	2	0,85	15	550x450x180	600	1100x1100x1750
GP03N ****	Black painted fixed aluminum bench leg	0	2	0,48	-	-	-	-
GP04	Nylon leg for bench	50%	2	1,84	4	500x500x250	128	1000x1200x2030
GP49	Assembling kit GP02	0	2	0,28	50	470x410x320	900	1000x1200x1100
GP54	Assembling kit GP03N	0	2	0,23	50	470x410x320	-	-
ST13	Fixing bracket for bench	100	-	0,48	30	350x280x230	960	800x1200x1000
TRA05 *****	Rectangular tube beam 2 seats 80x40x1020	100	1	3,40	-	-	100	-
TRA06 *****	Rectangular tube beam 3 seats 80x40x1600	100	1	5,50	-	-	100	-
TRA07 *****	Rectangular tube beam 4 seats 80x40x2040	100	1	7,00	-	-	100	-
TRA08 *****	Rectangular tube beam 5 seats 80x40x2550	100	1	8,50	-	-	100	-

* Seats and backrest colors | ** Armrests, cover seats, accessories colors | *** Metal frame finishing | **** Polyamide trestle base finishes | ± Weight tolerance 3%

SEAT AND BACKREST COLORS

*W	*GC	*T	*BL	*N
Chalk White NCS 1000-N	**Warm Grey ECO** NCS S 6005-Y20R	**Torrente** NCS S 3005-G50Y	**Blue** NCS S 6010-R90B	**Black** NCS 9000 N

MESH COLORS



Black
RAL 9005

OPZIONE SCHIENALE TAPPEZZATO

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/01	Inner backrest for upholstery in polypropylene PP ± **(replaces code CIAO/24)**	100	1	0,50	40	470x370x330	960	1200x1030x1430
CIAO/02 W-T-BL-N CIAO/02GC	Outer backrest for upholstery Outer backrest for upholstery Warm Grey ECO	30 100	1 1	0,67 0,67	10 10	470x370x330 470x370x330	300 300	- -

OPZIONE SCHIENALE CON RETE

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/50 *	Black mesh backrest with plastic in polypropylene PP ± **(replaces code CIAO/24)**	30	1	-	10	530x340x350	300	-
oppure								
CIAO/51 W-T-BL-N CIAO/51 GC	Inner backrest for mesh in polypropylene PP ± Inner backrest for mesh Warm Grey ECO in polypropylene PP ±	30 30	1 1	0,38 0,38	5 5	610x410x200 610x410x200	200 200	1230x1020x1680 1230x1020x1680
CIAO/52 W-T-BL-N CIAO/52 GC	Outer backrest for mesh Outer backrest for mesh Warm Grey ECO **(replaces code CIAO/24)**	30 100	1 1	0,38 0,38	5 5	610x410x200 610x410x200	200 200	1230x1020x1680 1230x1020x1680

OPZIONE SEDILE TAPPEZZATO

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/03 *	Inner seat for upholstery **(replaces code CIAO/25)**	100	4	0,60	-	-	-	-

ACCESSORIES

CODE	DESCRIPTION	% REC.	PCS.	SINGLE WEIGHT KG	PCS. BOX	DIM. BOX LxDxH mm	PCS. PALLET	DIM. PALLET LxDxH mm
CIAO/32	Long Black linking device for arms and arms with writing tablet version PP FV 10%	-	-	0,13	-	-	-	-
CIAO/33	Short Black linking device for no arms version PP FV 10%	-	-	0,07	-	-	-	-
AG/01	Linking device for frame Ø 12 PA 30% FV	0	-	0,15	150	470x410x320	-	-
CIAO/66 CIAO/67	Kit left writing tablet Kit right writing tablet	-	-	-	-	-	-	-
ST14	Fixing bracket for bench table	100	1	1,38	15	350x280x230	480	800x1200x1000
TA01	Table for bench	0	1	3,80	7	500x500x250	100	1000x1200x1080
VT18	M8x16 screw	0	6	0,02	-	-	-	-
CARRELLO01/KD	Universal trolley for chairs	100	1	10	-	-	6	800x1200x2030

cerantola